




# Aluminium Recessed Access Covers



[www.arbourlandscapesolutions.co.uk](http://www.arbourlandscapesolutions.co.uk)

Arbour Landscape Solutions is a family owned and run company dedicated to the supply and fit of sustainable products to the building, civils and landscaping sector of the United Kingdom.

Our first and second generation family have been involved in the hard-landscaping sector for over 35 years and can offer sensible advice from the perspective of practicality.

Arbour Landscape Solution distribute a large range of access covers and are proud of our range of aluminium recessed covers.

Over  
35 years  
experience

“ A beautiful product that will add the finishing touch to your project ”

#### Aluminium Recessed Access Covers:

They are aesthetically appealing and very well engineered providing odour and waterproof options for interior or exterior use. They are used where quality is paramount and are much more cost effective than stainless steel.

There are two versions with the Double Sealed DS-Line being odour and waterproof and self-secured by the weight of the infill. The Triple Sealed TSL-Pro-Line is odour and waterproof and locked in the corners with four screws.

A wide range of sizes is available with clear openings from as small as 150x150mm (can be used as surface boxes) and up to 1000x1000mm. Two standard depths of 60mm and 80mm are offered with 100mm and 40mm also available. All covers come equipped with suitable lifting keys.

The aluminium is 99.9% pure, with high grade EPDM seals and stainless-steel screws. The base is mild steel for added strength with up to 75kN loading.

Most sizes are held in stock in our UK Warehouse for swift delivery. Items not held in stock can be with you in 3 to 4 weeks from order (including bespoke sizes).



# Double Sealed DS-Line Recessed Manhole Covers

The **Alucover DS-Line** range are double sealed, featuring a highly aesthetic extruded aluminium construction manufactured to BS:EN124 standard.

An odour and waterproof aluminium cover that's self-secured to the outer frame, featuring two seals: one at the base and a 'T-rubber' seal built-in to the side of the outer frame.

The unique seal allows for an additional odour barrier, elasticity to avoid tension between the recessed cover and frame, and the prevention of dirt between the cover and frame for easy removal.

Perfect  
for exterior  
applications  
i.e tiles &  
paving

## Product Features:

- ✓ Extruded aluminium frame and easy to open
- ✓ The cover is odour and waterproof
- ✓ Recommended for exterior applications
- ✓ Lifting keys and reinforcement mesh
- ✓ Featuring a high-grade EPDM seal and a 'T-rubber' seal on the side of frame
- ✓ Self-secured by the weight of the infill
- ✓ Lifting holes covered with plastic caps



# Triple Sealed TSL-Pro-Line Recessed Manhole Covers

The **Alucover TSL-Pro-Line** range of recessed manhole covers are triple sealed and locking, featuring a highly aesthetic extruded aluminium construction. They are lorry load bearing and manufactured to BS:EN124 standard.

An odour and waterproof aluminium cover screwed on to the outer frame and featuring three seals: two at the base and a 'T-rubber' seal built-in to the side of the outer frame. This unique 'T' seal provides an additional odour barrier, elasticity to avoid tension between the recessed cover and frame, and the prevention of dirt between the cover and frame.

## Product Features:

- ✓ Extruded aluminium frame and easy to open
- ✓ The cover is odour and waterproof
- ✓ Recommended for interior & exterior applications
- ✓ Lifting keys and reinforcement mesh
- ✓ Featuring two high-grade EPDM seals with 'T-rubber' seal on side of frame
- ✓ Locked with stainless steel socket head screws
- ✓ Lifting holes covered with plastic caps

Perfect  
for tiles,  
paving and  
most floor  
finishes




# Double Sealed Size Range

SKU Code	Overall size A x B (mm)	Clear Opening C x D (mm)	Overall depth H (mm)	In tray depth R (mm)
<b>Stock items:</b>				
DS-60-3030	360x360	300x300	60	48
DS-60-4545	510x510	450x450	60	48
DS-60-6045	660x510	600x450	60	48
DS-60-6060	660x660	600x600	60	48
DS-60-7560	810x660	750x600	60	48
DS-60-7575	810x810	750x750	60	48
DS-60-9060	960x660	900x600	60	48
DC-60-9090	960x960	900x900	60	48
<b>Low stock items:</b>				
DC-60-1000	1060x1060	1000x1000	60	48
DS-80-3030	360x360	300x300	80	68
DS-80-4545	510x510	450x450	80	68
DS-80-6045	660x510	600x450	80	68
DS-80-6060	660x660	600x600	80	68
<b>For the following items, allow 3-4 week lead time:</b>				
DS-80-7560	810x660	750x600	80	68
DS-80-7575	810x810	750x750	80	68
DS-80-9060	960x660	900x600	80	68
DS-80-9090	960x960	900x900	80	68
DS-80-1000	1060x1060	1000x1000	80	68

Also available in 100mm and 40mm depth plus bespoke sizes on request.

## Double Sealed Aluminium Recessed Cover:




# Triple Sealed Size Range

SKU Code	Overall size A x B (mm)	Clear Opening C x D (mm)	Overall depth H (mm)	In tray depth R (mm)
<b>Stock items:</b>				
TSL-60-1515	240x240	150x150	60	41
TSL-60-3030	390x390	300x300	60	41
TSL-60-4545	540x540	450x450	60	41
TSL-60-6045	690x540	600x450	60	41
TSL-60-6060	690x690	600x600	60	41
TSL-60-7560	840x690	750x600	60	41
TSL-60-7575	840x840	750x750	60	41
TSL-60-9060	990x690	900x600	60	41
TSL-60-9090	990x990	900x900	60	41
<b>Low stock items:</b>				
TSL-60-1000	1090x1090	1000x1000	60	41
<b>For the following items, allow 3-4 week lead time:</b>				
TSL-80-3030	390x390	300x300	80	61
TSL-80-4040	490x490	400x400	80	61
TSL-80-5050	590x590	500x500	80	61
TSL-80-6060	690x690	600x600	80	61
TSL-80-7070	790x790	700x700	80	61
TSL-80-8080	890x890	800x800	80	61
TSL-80-9090	990x990	900x900	80	61
TSL-80-1000	1090x1090	1000x1000	80	61

Also available in 100mm and 40mm depth plus bespoke sizes on request.

## Triple Sealed Aluminium Recessed Cover:



# Weight Loading, Applications and Installation



Load class max			40kN	75kN
DS-Line-60	✓	✓	✓	
DS-Line-80	✓	✓	✓	
DS-Line-100	✓	✓	✓	
TSL-Pro-Line-60	✓	✓	✓	✓
TSL-Pro-Line-80	✓	✓	✓	✓
TSL-Pro-Line-100	✓	✓	✓	✓

Step 1:  
Mortar




Step 2:  
Clean




Step 3:  
Screed



Step 4:  
Finish



Due to continuing product development we reserve the right to alter product specification without prior notice.



0208 953 6177

[enquiries@arboursolutions.co.uk](mailto:enquiries@arboursolutions.co.uk)  
[www.arboursolutions.co.uk](http://www.arboursolutions.co.uk)



**ARBOUR**  
LANDSCAPE SOLUTIONS